
OMALCO

ALUMINIUM EXTRUSION

FAÇADE PROFILE




SI NO	SECTION NO	A	B	C	D	Weight Kg/Mtr
1	3301	45.00	45.00	1.10	5.00	0.656
2	3302	50.00	50.00	1.10	5.00	0.700
3	3303	51.00	51.00	1.28	5.00	0.751
4	3304	51.00	51.00	1.40	5.00	0.875
5	3306	64.00	58.00	1.50	10.00	1.093
6	3394	74.00	67.00	2.00	24.00	1.674
7	3310	80.00	50.00	1.25	5.00	1.092
8	3315	100.0	58.00	1.80	10.00	1.532
9	3315/3	100.0	58.00	1.90	10.00	1.725
10	3305	102.00	50.00	1.80	6.00	1.510
11	3320	114.00	63.00	2.00	5.00	1.950
12	3396	150.00	50.00	2.00	10.00	2.170


OMALCO

ALUMINIUM EXTRUSION


FAÇADE PROFILE




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	3308	1.198




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	3317	2.300




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	3318	1.981




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	3312	1.825



SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	3344	0.726



SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	3322	1.052




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	3374	0.108


OMALCO

ALUMINIUM EXTRUSION


FAÇADE PROFILE




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	3370	2.613




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	3372	1.876




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	3384	0.345




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	3382	0.206




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	3393	1.650



SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	3395	0.348



SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	3397	0.300




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	3324	2.503


OMALCO

ALUMINIUM EXTRUSION


FAÇADE PROFILE




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	3369	2.452



SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	3386	2.149



SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	3277	1.440




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	3330	1.810


OMALCO

ALUMINIUM EXTRUSION


FAÇADE PROFILE




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	3328	1.345




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	3329	2.205




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	3327	1.660




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	3398	2.414




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	3323	0.550




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	3314	0.335




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	3313	0.514




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	3325	0.478



SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	3326	0.382



SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	3309	0.554




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	3311	0.336


OMALCO

ALUMINIUM EXTRUSION


FAÇADE PROFILE




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	3334	1.803




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	3335	1.760




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	3343	1.390




SL. NO.	SECTION NO.	A	B	WEIGHT(KG/M)
1	3337	3	3.7	3.151
2	3337 A	2	2.4	2.472




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	3336	1.638




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	3351	3.000




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	3366	3.790




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	3345	2.853




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	3354	0.615



SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	3350	3.500



SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	3361	1.338




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	3352	0.393


OMALCO

ALUMINIUM EXTRUSION


FAÇADE PROFILE




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	3332	2.175




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	3333	2.079




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	3378	1.408




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	3392	1.754




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	3380	2.258




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	3331	3.484




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	3348	0.504



SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	3346	0.285



SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	3342	0.175




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	3376	0.256


OMALCO

ALUMINIUM EXTRUSION


FAÇADE PROFILE




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	3339	1.861




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	3356	1.835




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	3368	3.309




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	3338	1.284




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	3362	0.929




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	3367	2.322




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	3390	0.755



SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	3340	0.600



SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	3357	1.054




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	3341	0.580


OMALCO

ALUMINIUM EXTRUSION


FAÇADE PROFILE




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	3450	1.200




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	3451	1.130




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	3452	1.128




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	3453	0.268




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	3455	1.998




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	3458	1.970




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	3462	0.990




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	3454	0.626




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	3456	0.256



SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	3459	0.575




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	3460	0.465




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	3457	0.307

OMALCO
ALUMINIUM EXTRUSION


FAÇADE PROFILE




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	3464	0.740




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	3388	0.847




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	3387	0.955




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	2734	1.176




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	2736	1.065




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	2738	1.306



SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	2735	0.957




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	3267	2.277




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	2737	1.230

OMALCO
ALUMINIUM EXTRUSION


RAILING PROFILE




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	2450	1.555




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	2692	1.034




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	2693	1.037




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	2694	0.977




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	2695	0.692



SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	2691	1.516



SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	2640	1.309




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	2648	1.700


OMALCO

ALUMINIUM EXTRUSION


RAILING PROFILE




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	2624	0.667




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	2696	0.541




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	9066	2.760




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	2639	1.812




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	2626	2.642



SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	2638	2.648



SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	2627	0.175




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	2636	0.285


OMALCO

ALUMINIUM EXTRUSION


RAILING PROFILE




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	2628	5.470




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	2633	4.893




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	6012	3.170




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	6014	3.656




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	6011	5.167



SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	6008	5.325



SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	6013	4.854




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	2666	5.425


OMALCO

ALUMINIUM EXTRUSION


RAILING PROFILE




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	2632	2.550




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	2630	1.868




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	9065	0.742




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	9067	3.135




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	2631	8.248



SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	2644	3.548



SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	2646	2.290




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	2634	0.736


OMALCO

ALUMINIUM EXTRUSION


RAILING PROFILE




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	3281	5.327




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	6016	0.775




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	9069	1.863




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	2629	5.750



SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	9201	0.581




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	9203	0.315




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	2690	0.148

OMALCO
ALUMINIUM EXTRUSION


CLADING PROFILE




SL.NO	SECTION NO.	WEIGHT(KG/M)
1	2642	1.582




SL.NO	SECTION NO.	WEIGHT(KG/M)
1	5561	1.208




SL.NO	SECTION NO.	WEIGHT(KG/M)
1	5599	1.868




SL.NO	SECTION NO.	WEIGHT(KG/M)
1	5579	2.865




SL.NO	SECTION NO.	WEIGHT(KG/M)
1	5575	1.192




SL.NO	SECTION NO.	WEIGHT(KG/M)
1	5502	2.017



SL.NO	SECTION NO.	WEIGHT(KG/M)
1	5565	1.850



SL.NO	SECTION NO.	WEIGHT(KG/M)
1	5567	2.192




SL.NO	SECTION NO.	WEIGHT(KG/M)
1	5501	1.256




OMALCO
ALUMINIUM EXTRUSION


CLADING PROFILE




SL.NO	SECTION NO.	WEIGHT(KG/M)
1	5587	1.537




SL.NO	SECTION NO.	WEIGHT(KG/M)
1	5598	0.905




SL.NO	SECTION NO.	WEIGHT(KG/M)
1	5577	0.936




SL.NO	SECTION NO.	WEIGHT(KG/M)
1	5573	0.362




SL.NO	SECTION NO.	WEIGHT(KG/M)
1	5593	0.161




SL.NO	SECTION NO.	WEIGHT(KG/M)
1	5596	0.613




SL.NO	SECTION NO.	WEIGHT(KG/M)
1	5595	0.527




SL.NO	SECTION NO.	WEIGHT(KG/M)
1	6009	0.915



SL.NO	SECTION NO.	WEIGHT(KG/M)
1	3811	0.112




SL.NO	SECTION NO.	WEIGHT(KG/M)
1	5578	0.514




SL.NO	SECTION NO.	WEIGHT(KG/M)
1	5569	0.758

OMALCO
ALUMINIUM EXTRUSION


CLADING PROFILE




SL.NO	SECTION NO.	WEIGHT(KG/M)
1	5550	1.512




SL.NO	SECTION NO.	WEIGHT(KG/M)
1	5534	0.920




SL.NO	SECTION NO.	WEIGHT(KG/M)
1	5540	0.889




SL.NO	SECTION NO.	WEIGHT(KG/M)
1	3265	5.491




SL.NO	SECTION NO.	WEIGHT(KG/M)
1	3269	1.584




SL.NO	SECTION NO.	WEIGHT(KG/M)
1	3263	0.360



SL.NO	SECTION NO.	WEIGHT(KG/M)
1	3275	0.315




SL.NO	SECTION NO.	WEIGHT(KG/M)
1	3271	0.855




SL.NO	SECTION NO.	WEIGHT(KG/M)
1	3273	1.512

OMALCO
ALUMINIUM EXTRUSION


CLADING PROFILE




SL.NO	SECTION NO.	WEIGHT(KG/M)
1	2510	0.391




SL.NO	SECTION NO.	WEIGHT(KG/M)
1	2512	0.348




SL.NO	SECTION NO.	WEIGHT(KG/M)
1	2514	0.558




SL.NO	SECTION NO.	WEIGHT(KG/M)
1	2516	0.377




SL.NO	SECTION NO.	WEIGHT(KG/M)
1	2518	0.748




SL.NO	SECTION NO.	WEIGHT(KG/M)
1	9109	0.504




SL.NO	SECTION NO.	WEIGHT(KG/M)
1	5571	1.462




SL.NO	SECTION NO.	WEIGHT(KG/M)
1	9423	1.404



SL.NO	SECTION NO.	WEIGHT(KG/M)
1	5585	0.348




SL.NO	SECTION NO.	WEIGHT(KG/M)
1	9602	1.388




SL.NO	SECTION NO.	WEIGHT(KG/M)
1	5583	1.080

OMALCO
ALUMINIUM EXTRUSION


CLADING PROFILE



SL.NO	SECTION NO.	WEIGHT(KG/M)
1	9091	0.682




SL.NO	SECTION NO.	WEIGHT(KG/M)
1	9325	1.564




SL.NO	SECTION NO.	WEIGHT(KG/M)
1	9108	0.722

OMALCO
ALUMINIUM EXTRUSION


SKIRTING & UPVC TRACK RAIL PROFILE




SL.NO	SECTION NO.	WEIGHT(KG/M)
1	5570	0.267



SL.NO	SECTION NO.	WEIGHT(KG/M)
1	5574	0.334




SL.NO	SECTION NO.	WEIGHT(KG/M)
1	5568	0.235




SL.NO	SECTION NO.	WEIGHT(KG/M)
1	5533	0.048




SL.NO	SECTION NO.	WEIGHT(KG/M)
1	5572	0.192



SL.NO	SECTION NO.	WEIGHT(KG/M)
1	9123	0.472




SL.NO	SECTION NO.	WEIGHT(KG/M)
1	5530	0.082




SL.NO	SECTION NO.	WEIGHT(KG/M)
1	7340	0.196

OMALCO
ALUMINIUM EXTRUSION


SLIDING PROFILE




SL.NO	SECTION NO.	WEIGHT(KG/M)
1	9087	1.304




SL.NO	SECTION NO.	WEIGHT(KG/M)
1	9102	1.058




SL.NO	SECTION NO.	WEIGHT(KG/M)
1	9076	1.367




SL.NO	SECTION NO.	WEIGHT(KG/M)
1	9104	0.767




SL.NO	SECTION NO.	WEIGHT(KG/M)
1	9077	0.731




SL.NO	SECTION NO.	WEIGHT(KG/M)
1	9085	0.766



SL.NO	SECTION NO.	WEIGHT(KG/M)
1	9107	0.134




SL.NO	SECTION NO.	WEIGHT(KG/M)
1	9105	0.281




SL.NO	SECTION NO.	WEIGHT(KG/M)
1	9128	0.372

OMALCO
ALUMINIUM EXTRUSION


LOUVRE PROFILE




SL.NO.	SECTION NO.	A	WEIGHT(KG/M)
1	1600	0.95	0.274
2	1601	1.20	0.357




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	1609	0.267




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	1613	0.390




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	1623	0.239




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	1633	0.240



SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	1635	0.362




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	1637	0.537




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	1615	0.304

OMALCO
ALUMINIUM EXTRUSION


LOUVRE PROFILE




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	1617	0.112




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	1607	0.932




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	1629	1.685




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	1631	1.590




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	1619	0.468



SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	1611	1.300




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	1639	2.989




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	1605	1.577

OMALCO
ALUMINIUM EXTRUSION


LOUVRE PROFILE



SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	1621	0.975



SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	1625	0.576



SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	1627	0.489