

OMALCO
ALUMINIUM EXTRUSION


SLIM PROFILE




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	5801	0.461




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	5807	0.617




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	5809	0.533




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	5851	0.554




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	5803	0.204



SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	5805	0.221




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	5811	0.249




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	5853	0.128

OMALCO
ALUMINIUM EXTRUSION


SLIM PROFILE




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	5817	0.449




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	5813	0.608




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	5869	0.145




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	5854	0.453




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	5863	0.316




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	5859	0.582



SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	5861	0.147




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	5855	0.435




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	5857	0.128

OMALCO
ALUMINIUM EXTRUSION


SLIM PROFILE




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	5825	0.257




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	5824	0.289




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	5826	0.381




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	5838	0.199




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	5827	0.298




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	5828	0.253



SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	5832	0.169




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	5834	0.134




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	5860	0.187

OMALCO
ALUMINIUM EXTRUSION


SLIM PROFILE




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	5852	0.856




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	5867	0.834




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	5865	1.075




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	5818	1.513




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	2448	0.787



SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	5816	1.578




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	5866	1.049




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	5870	0.166

OMALCO
ALUMINIUM EXTRUSION


SLIM PROFILE




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	5833	0.165




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	2444	0.664




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	5829	0.440




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	5831	0.583




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	2442	0.841




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	2617	0.900




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	2616	0.579




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	2608	0.765




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	2606	0.550



SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	5871	0.081




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	5856	0.087




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	2610	0.077

OMALCO
ALUMINIUM EXTRUSION


SLIM PROFILE




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	2612	1.245




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	2614	1.150




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	5835	0.420




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	5836	0.273




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	2456	0.595



SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	2452	1.270




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	2454	0.694




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	5837	0.167

OMALCO
ALUMINIUM EXTRUSION


DISPLAY PROFILE




SL.NO	SECTION NO.	WEIGHT(KG/M)
1	2501	0.146




SL.NO	SECTION NO.	WEIGHT(KG/M)
1	2502	0.157




SL.NO	SECTION NO.	WEIGHT(KG/M)
1	2504	0.517




SL.NO	SECTION NO.	WEIGHT(KG/M)
1	2503	0.075



SL.NO	SECTION NO.	WEIGHT(KG/M)
1	9051	1.375




SL.NO	SECTION NO.	WEIGHT(KG/M)
1	2506	0.251




SL.NO	SECTION NO.	WEIGHT(KG/M)
1	2520	1.130

OMALCO
ALUMINIUM EXTRUSION


KITCHEN PROFILE




SL.NO	SECTION NO.	WEIGHT(KG/M)
1	2405	0.402




SL.NO	SECTION NO.	WEIGHT(KG/M)
1	2408	0.380




SL.NO	SECTION NO.	WEIGHT(KG/M)
1	2409	0.863



SL.NO	SECTION NO.	WEIGHT(KG/M)
1	2507	0.525



SL.NO	SECTION NO.	WEIGHT(KG/M)
1	2505	0.682



SL.NO	SECTION NO.	WEIGHT(KG/M)
1	9605	0.673

OMALCO

ALUMINIUM EXTRUSION






Railway Profile




OMALCO


ALUMINIUM EXTRUSION




SECTION NO.	WEIGHT(KG/M)
5201	0.332




SECTION NO.	WEIGHT(KG/M)
5203	0.428




SECTION NO.	WEIGHT(KG/M)
5212	0.380




SECTION NO.	WEIGHT(KG/M)
5211	0.294



SECTION NO.	WEIGHT(KG/M)
5222	0.326



SECTION NO.	WEIGHT(KG/M)
5210	0.210




SECTION NO.	WEIGHT(KG/M)
5204	0.474






OMALCO


ALUMINIUM EXTRUSION




SECTION NO.	WEIGHT(KG/M)
5289	0.371




SECTION NO.	WEIGHT(KG/M)
5298	0.384




SECTION NO.	WEIGHT(KG/M)
5297	0.118



SECTION NO.	WEIGHT(KG/M)
5299	0.545



SECTION NO.	WEIGHT(KG/M)
5229	0.255




SECTION NO.	WEIGHT(KG/M)
5214	3.210






OMALCO


ALUMINIUM EXTRUSION




SECTION NO.	WEIGHT(KG/M)
5200	0.172




SECTION NO.	WEIGHT(KG/M)
5219	0.528




SECTION NO.	WEIGHT(KG/M)
5270	0.110



SECTION NO.	WEIGHT(KG/M)
5202	0.474



SECTION NO.	WEIGHT(KG/M)
5220	0.689



SECTION NO.	WEIGHT(KG/M)
5247	0.057









OMALCO


ALUMINIUM EXTRUSION




SECTION NO.	WEIGHT(KG/M)
5215	0.628




SECTION NO.	WEIGHT(KG/M)
5216	0.738




SECTION NO.	WEIGHT(KG/M)
5209	1.595



SECTION NO.	WEIGHT(KG/M)
5208	1.057



SECTION NO.	WEIGHT(KG/M)
5207	3.641




SECTION NO.	WEIGHT(KG/M)
5221	0.632






OMALCO


ALUMINIUM EXTRUSION




SECTION NO.	WEIGHT(KG/M)
5225	0.382




SECTION NO.	WEIGHT(KG/M)
5230	0.132




SECTION NO.	WEIGHT(KG/M)
5232	1.567



SECTION NO.	WEIGHT(KG/M)
5234	0.884



SECTION NO.	WEIGHT(KG/M)
5238	2.114




SECTION NO.	WEIGHT(KG/M)
5218	2.600












SECTION NO.	WEIGHT(KG/M)
5223	0.803




SECTION NO.	WEIGHT(KG/M)
5256	0.916




SECTION NO.	WEIGHT(KG/M)
5255	0.773




SECTION NO.	WEIGHT(KG/M)
5259	0.684




SECTION NO.	WEIGHT(KG/M)
5226	0.561




SECTION NO.	WEIGHT(KG/M)
5228	2.553




SECTION NO.	WEIGHT(KG/M)
5026	0.157




SECTION NO.	WEIGHT(KG/M)
5260	4.966



SECTION NO.	WEIGHT(KG/M)
5547	0.540




SECTION NO.	WEIGHT(KG/M)
9705	0.477




SECTION NO.	WEIGHT(KG/M)
9706	0.135

OMALCO


ALUMINIUM EXTRUSION




SECTION NO.	WEIGHT(KG/M)
5235	0.986




SECTION NO.	WEIGHT(KG/M)
5048	0.712




SECTION NO.	WEIGHT(KG/M)
5236	1.175




SECTION NO.	WEIGHT(KG/M)
5243	0.247




SECTION NO.	WEIGHT(KG/M)
5057	0.644




SECTION NO.	WEIGHT(KG/M)
5059	0.471




SECTION NO.	WEIGHT(KG/M)
5058	0.289




SECTION NO.	WEIGHT(KG/M)
5008	0.273




SECTION NO.	WEIGHT(KG/M)
5017	0.577




SECTION NO.	WEIGHT(KG/M)
5249	0.905




SECTION NO.	WEIGHT(KG/M)
5248	0.263




SECTION NO.	WEIGHT(KG/M)
5250	2.409




SECTION NO.	WEIGHT(KG/M)
5272	0.068




SECTION NO.	WEIGHT(KG/M)
5251	0.563




SECTION NO.	WEIGHT(KG/M)
5257	1.700




SECTION NO.	WEIGHT(KG/M)
5240	0.535



SECTION NO.	WEIGHT(KG/M)
5242	0.693




SECTION NO.	WEIGHT(KG/M)
7218	0.131




SECTION NO.	WEIGHT(KG/M)
7235	0.161



SECTION NO.	WEIGHT(KG/M)
5511	0.151




SECTION NO.	WEIGHT(KG/M)
7221	0.085




SECTION NO.	WEIGHT(KG/M)
5515	0.121




SECTION NO.	WEIGHT(KG/M)
5517	0.560




SECTION NO.	WEIGHT(KG/M)
5530	0.083



SECTION NO.	WEIGHT(KG/M)
5205	0.325




SECTION NO.	WEIGHT(KG/M)
5206	0.487




SECTION NO.	WEIGHT(KG/M)
5261	0.377

OMALCO
ALUMINIUM EXTRUSION


Poultry Prorile




SL.NO	SECTION NO.	WEIGHT(KG/M)
1	9020	0.249




SL.NO	SECTION NO.	WEIGHT(KG/M)
1	9022	0.759




SL.NO	SECTION NO.	WEIGHT(KG/M)
1	9024	1.354




SL.NO	SECTION NO.	WEIGHT(KG/M)
1	9026	1.618




SL.NO	SECTION NO.	WEIGHT(KG/M)
1	9080	0.601




SL.NO	SECTION NO.	WEIGHT(KG/M)
1	9090	0.751




SL.NO	SECTION NO.	WEIGHT(KG/M)
1	9092	0.625



SL.NO	SECTION NO.	WEIGHT(KG/M)
1	9094	0.492




SL.NO	SECTION NO.	WEIGHT(KG/M)
1	9096	0.789




SL.NO	SECTION NO.	WEIGHT(KG/M)
1	9098	1.027

OMALCO
ALUMINIUM EXTRUSION


ADVERTISEMENT PROFILE




SL.NO	SECTION NO.	WEIGHT(KG/M)
1	9603	0.431




SL.NO	SECTION NO.	WEIGHT(KG/M)
1	9601	0.724




SL.NO	SECTION NO.	WEIGHT(KG/M)
1	6401	0.702




SL.NO	SECTION NO.	WEIGHT(KG/M)
1	6410	0.229




SL.NO	SECTION NO.	WEIGHT(KG/M)
1	6402	1.276




SL.NO	SECTION NO.	WEIGHT(KG/M)
1	6422	0.635




SL.NO	SECTION NO.	WEIGHT(KG/M)
1	6416	0.595




SL.NO	SECTION NO.	WEIGHT(KG/M)
1	6414	0.449



SL.NO	SECTION NO.	WEIGHT(KG/M)
1	6403	0.804




SL.NO	SECTION NO.	WEIGHT(KG/M)
1	6404	1.213




SL.NO	SECTION NO.	WEIGHT(KG/M)
1	6412	0.261

OMALCO
ALUMINIUM EXTRUSION


IRRIGATION PROFILE




SL.NO	SECTION NO.	WEIGHT(KG/M)
1	7305	0.166




SL.NO	SECTION NO.	WEIGHT(KG/M)
1	7303	0.194



SL.NO	SECTION NO.	WEIGHT(KG/M)
1	7300	0.480




SL.NO	SECTION NO.	WEIGHT(KG/M)
1	7302	0.672




SL.NO	SECTION NO.	WEIGHT(KG/M)
1	2508	0.279

OMALCO
ALUMINIUM EXTRUSION


TOWER BOLT PROFILE




SL.NO	SECTION NO.	WEIGHT(KG/M)
1	8101	0.639




SL.NO	SECTION NO.	WEIGHT(KG/M)
1	8303	0.190




SL.NO	SECTION NO.	WEIGHT(KG/M)
1	8305	0.357




SL.NO	SECTION NO.	WEIGHT(KG/M)
1	8307	0.175




SL.NO	SECTION NO.	WEIGHT(KG/M)
1	8309	0.177




SL.NO	SECTION NO.	WEIGHT(KG/M)
1	8311	0.200




SL.NO	SECTION NO.	WEIGHT(KG/M)
1	8321	0.250




SL.NO	SECTION NO.	WEIGHT(KG/M)
1	8322	0.356




SL.NO	SECTION NO.	WEIGHT(KG/M)
1	8325	0.233



SL.NO	SECTION NO.	WEIGHT(KG/M)
1	8327	0.151




SL.NO	SECTION NO.	WEIGHT(KG/M)
1	8331	0.177




SL.NO	SECTION NO.	WEIGHT(KG/M)
1	8333	0.260

OMALCO
ALUMINIUM EXTRUSION

TOWER BOLT PROFILE




SL.NO	SECTION NO.	WEIGHT(KG/M)
1	8340	0.170




SL.NO	SECTION NO.	WEIGHT(KG/M)
1	8344	0.163

OMALCO
ALUMINIUM EXTRUSION


HANDLE PROFILE




SL.NO	SECTION NO.	WEIGHT(KG/M)
1	8364	0.937




SL.NO	SECTION NO.	WEIGHT(KG/M)
1	8360	1.650




SL.NO	SECTION NO.	WEIGHT(KG/M)
1	8361	1.623




SL.NO	SECTION NO.	WEIGHT(KG/M)
1	8353	1.330




SL.NO.	SECTION NO.	A	WEIGHT(KG/M)
1	8362	2.75	1.340
2	8363	2.40	1.150
3	8365	3.00	1.480




SL.NO.	SECTION NO.	A	WEIGHT(KG/M)
1	8352	3.1	1.550
2	8354	2.8	1.420
3	8325	3.3	1.640




SL.NO	SECTION NO.	WEIGHT(KG/M)
1	8351	1.847



SL.NO	SECTION NO.	WEIGHT(KG/M)
1	8366	1.154




SL.NO	SECTION NO.	WEIGHT(KG/M)
1	8368	1.260




SL.NO	SECTION NO.	WEIGHT(KG/M)
1	8350	1.948

OMALCO
ALUMINIUM EXTRUSION


HINGES




SL.NO.	SECTION NO.	ø	WEIGHT(KG/M)
1	8501	5.65	0.245




SL.NO.	SECTION NO.	ø	WEIGHT(KG/M)
1	8510	6.2	0.246




SL.NO.	SECTION NO.	ø	WEIGHT(KG/M)
1	8504	6.70	0.239




SL.NO.	SECTION NO.	ø	WEIGHT(KG/M)
1	8508	6.7	0.225




SL.NO.	SECTION NO.	ø	WEIGHT(KG/M)
1	8506	6.2	0.263




SL.NO.	SECTION NO.	ø	WEIGHT(KG/M)
1	8502	6.40	0.272




SL.NO.	SECTION NO.	ø	WEIGHT(KG/M)
1	8503	5.65	0.260



SL.NO.	SECTION NO.	ø	WEIGHT(KG/M)
1	8505	11.0	0.646




SL.NO.	SECTION NO.	ø	WEIGHT(KG/M)
1	8507	14.0	0.990




SL.NO.	SECTION NO.	ø	WEIGHT(KG/M)
1	8507	14.0	0.990

OMALCO
ALUMINIUM EXTRUSION


Miscellaneous Profile




SL.NO	SECTION NO.	WEIGHT(KG/M)
1	5539	0.568




SL.NO	SECTION NO.	WEIGHT(KG/M)
1	1139	0.547




SL.NO	SECTION NO.	WEIGHT(KG/M)
1	1141	0.615




SL.NO	SECTION NO.	WEIGHT(KG/M)
1	9205	0.674




SL.NO	SECTION NO.	WEIGHT(KG/M)
1	9401	1.549




SL.NO	SECTION NO.	WEIGHT(KG/M)
1	9419	1.004




SL.NO	SECTION NO.	WEIGHT(KG/M)
1	9421	1.269




SL.NO	SECTION NO.	WEIGHT(KG/M)
1	8026	0.212




SL.NO	SECTION NO.	WEIGHT(KG/M)
1	6100	0.478



SL.NO	SECTION NO.	WEIGHT(KG/M)
1	6102	0.365




SL.NO	SECTION NO.	WEIGHT(KG/M)
1	6104	0.273




SL.NO	SECTION NO.	WEIGHT(KG/M)
1	5549	0.686

OMALCO
ALUMINIUM EXTRUSION


Miscellaneous Profile




SL.NO	SECTION NO.	WEIGHT(KG/M)
1	5545	0.396




SL.NO	SECTION NO.	WEIGHT(KG/M)
1	5581	1.121




SL.NO	SECTION NO.	WEIGHT(KG/M)
1	6110	1.616




SL.NO	SECTION NO.	WEIGHT(KG/M)
1	9101	0.867




SL.NO	SECTION NO.	WEIGHT(KG/M)
1	6106	2.304



SL.NO	SECTION NO.	WEIGHT(KG/M)
1	1100	1.907




SL.NO	SECTION NO.	WEIGHT(KG/M)
1	2410	0.827




SL.NO	SECTION NO.	WEIGHT(KG/M)
1	9055	2.187

OMALCO
ALUMINIUM EXTRUSION


Miscellaneous Profile




SL.NO	SECTION NO.	WEIGHT(KG/M)
1	9035	0.465




SL.NO	SECTION NO.	WEIGHT(KG/M)
1	9078	0.492




SL.NO	SECTION NO.	WEIGHT(KG/M)
1	9088	1.137




SL.NO	SECTION NO.	WEIGHT(KG/M)
1	9125	2.005




SL.NO	SECTION NO.	WEIGHT(KG/M)
1	9126	1.763




SL.NO	SECTION NO.	WEIGHT(KG/M)
1	9064	0.247




SL.NO	SECTION NO.	WEIGHT(KG/M)
1	9081	0.300




SL.NO	SECTION NO.	WEIGHT(KG/M)
1	9403	1.047




SL.NO	SECTION NO.	WEIGHT(KG/M)
1	9110	0.300



SL.NO	SECTION NO.	WEIGHT(KG/M)
1	6108	0.689




SL.NO	SECTION NO.	WEIGHT(KG/M)
1	9204	0.194



SL.NO	SECTION NO.	WEIGHT(KG/M)
1	9210	0.260

OMALCO
ALUMINIUM EXTRUSION

Miscellaneous Profile



SL.NO	SECTION NO.	WEIGHT(KG/M)
1	9212	0.202