

OMALCO
ALUMINIUM EXTRUSION

Single Partition




SL.NO.	SECTION NO.	A	B	C	D	WEIGHT(KG/M)
1	1000	50.80	25.40	1.05	7.50	0.465
2	1001	63.50	38.10	1.05	7.50	0.605
3	1002	63.50	38.10	1.17	7.00	0.681
4	1003	63.50	38.10	1.28	8.00	0.758
5	1004	63.50	38.10	1.50	8.00	0.900
6	1005	63.50	38.10	2.00	8.00	1.100
7	1006	63.50	38.10	3.00	8.00	1.650
8	1015	83.00	38.00	1.60	8.00	1.070
9	1017	83.00	38.00	3.00	8.00	1.950
10	1019	90.00	40.00	1.20	8.00	0.882
11	1025	101.60	25.00	1.00	8.00	0.690
12	1021	101.60	44.45	1.27	8.00	1.049



SL.NO.	SECTION NO.	A	B	C	D	WEIGHT(KG/M)
13	1022	101.60	44.45	1.60	8.00	1.301
14	1023	101.60	44.45	2.01	8.00	1.605
15	1024	101.60	44.45	3.18	8.00	2.541
16	1010	123.00	44.45	2.70	8.00	2.429
17	1012	125.00	44.45	2.00	8.00	1.848
18	1027	125.00	44.45	2.73	8.00	2.485
19	1053	127.00	44.45	3.20	7.00	2.922
20	1029	152.00	44.45	3.00	8.00	3.150

OMALCO
ALUMINIUM EXTRUSION


Double Partition





SL.NO.	SECTION NO.	A	B	C	D	WEIGHT(KG/M)
1	1030	50.80	25.40	1.05	7.50	0.480
2	1031	63.50	38.10	0.95	7.50	0.600
3	1032	63.50	38.10	1.08	7.50	0.686
4	1033	63.50	38.10	1.21	7.50	0.761
5	1034	63.50	38.10	1.50	8.00	0.920
6	1035	63.50	38.10	1.90	8.00	1.100
7	1036	63.50	38.10	3.00	8.00	1.700
8	1040	83.00	38.00	1.60	8.00	1.070
9	1039	83.00	38.00	3.00	8.00	1.970
10	1045	101.60	25.00	1.00	8.00	0.705
11	1041	101.60	44.45	1.20	8.00	1.060
12	1042	101.60	44.45	1.50	8.00	1.301


SL.NO.	SECTION NO.	A	B	C	D	WEIGHT(KG/M)
13	1043	101.60	44.45	2.00	8.00	1.610
14	1044	101.60	44.45	3.00	8.00	2.415
15	1048	123.00	44.45	2.00	8.00	1.889
16	1051	125.00	44.45	2.00	8.00	1.911
17	1055	125.00	44.45	3.15	7.00	2.912
18	1047	127.00	44.45	3.18	7.00	2.969
19	1049	152.00	44.45	3.00	8.00	3.180



SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	1070	4.368


OMALCO
ALUMINIUM EXTRUSION

Door Vertical



SL.NO.	SECTION NO.	A	B	C	WEIGHT(KG/M)
1	1101	85.00	44.45	1.40	1.027
2	1102	85.00	44.45	2.00	1.426
3	1103	85.00	44.45	3.00	2.013
4	1191	47.62	44.45	1.00	0.630
5	1192	47.62	44.45	1.40	0.770
6	1193	47.62	44.45	1.52	0.880
7	1194	47.62	44.45	2.00	1.050


Single Leg



SL.NO.	SECTION NO.	A	B	C	WEIGHT(KG/M)
1	1118	83.50	73.50	1.90	1.285
2	1119	83.50	73.50	2.90	1.866
3	1124	47.50	38.25	1.50	0.700
4	1125	47.50	38.25	1.30	0.600
5	1126	47.50	38.25	1.70	0.800
6	1127	47.50	38.25	2.20	0.984
7	1128	47.50	38.25	2.50	1.313

OMALCO
ALUMINIUM EXTRUSION


Door Top Bottom



SL. NO.	SECTION NO.	A	B	C	WEIGHT(KG/M)
1	1111	47.62	10.15	1.00	0.546
2	1112	47.62	10.15	1.20	0.612
3	1113	47.62	10.15	1.50	0.800
4	1114	47.62	10.15	1.60	0.874
5	1115	47.62	10.15	1.95	0.974
6	1116	47.62	10.15	3.00	1.422
7	1120	83.50	9.50	1.50	1.065
8	1121	83.50	9.50	2.00	1.384
9	1122	83.50	9.50	3.00	1.990
10	1130	114.30	10.15	1.30	1.100
11	1131	114.30	10.15	1.50	1.300
12	1132	114.30	10.15	2.00	1.700
13	1133	114.30	10.15	3.18	2.646
14	1135	114.00	25.00	1.28	1.100
15	1136	150.00	25.00	2.00	1.850
16	1137	150.00	25.00	3.00	3.000


OMALCO
ALUMINIUM EXTRUSION

Door Top



SL.NO.	SECTION NO.	A	B	C	WEIGHT(KG/M)
1	1151	47.62	44.45	1.12	0.601
2	1152	47.62	44.45	1.60	0.819
3	1154	47.62	44.45	1.95	1.000
4	1155	47.62	44.45	3.00	1.426
5	1161	83.50	44.45	1.50	1.050
6	1162	83.50	44.45	2.00	1.450
7	1163	83.50	44.45	3.00	2.107


Door Middle




SL.NO.	SECTION NO.	A	B	C	WEIGHT(KG/M)
1	1171	49.91	44.45	0.98	0.607
2	1172	49.91	44.45	1.44	0.819
3	1174	49.91	44.45	1.90	0.984
4	1180	83.50	44.45	1.45	1.050
5	1181	83.50	44.45	2.00	1.450
6	1182	83.50	44.45	3.00	2.050
7	1188	150.00	44.45	2.00	1.950
8	1189	150.00	44.45	3.00	2.800

OMALCO


ALUMINIUM EXTRUSION



SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	1212	0.617




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	1201	0.360




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	1216	2.500

OMALCO
ALUMINIUM EXTRUSION


Door Profile 30MM




SL.NO	SECTION NO.	WEIGHT(KG/M)
1	4232	0.962




SL.NO	SECTION NO.	WEIGHT(KG/M)
1	4222	0.975




SL.NO	SECTION NO.	WEIGHT(KG/M)
1	4224	0.677



SL.NO	SECTION NO.	WEIGHT(KG/M)
1	4236	1.268




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	4234	0.095




SL.NO	SECTION NO.	WEIGHT(KG/M)
1	4238	0.101

OMALCO
ALUMINIUM EXTRUSION


PATTAM FLUSH DOOR




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	9604	1.576




SL.NO.	SECTION NO.	A	WEIGHT(KG/M)
1	1205	3.00	2.452
2	1206	3.50	2.623
3	1207	4.00	3.103




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	1210	4.466




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	3223	0.327



SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	1203	1.374




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	3139	2.177




SL. NO.	SECTION NO.	A	WEIGHT(KG/M)
1	1214	1.68	1.102
2	1215	3.00	1.844

OMALCO
ALUMINIUM EXTRUSION




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	1433	0.165

GLAZING PLATE



SL.NO.	SECTION NO	A	B	WEIGHT(KG/M)
1	1430	2.93	0.63	0.137
2	1432	8.70	2.95	0.546


GLAZING BEADING




SL.NO.	SECTION NO	A	WEIGHT(KG/M)
1	1422	0.55	0.081
2	1423	0.49	0.065
3	1424	0.70	0.095
4	1425	0.90	0.123
5	1426	1.10	0.150

OMALCO
ALUMINIUM EXTRUSION


WINDOWS SERIES 18MM




SL.NO.	SECTION NO.	A	B	WEIGHT(KG/M)
1	1556	40.00	0.75	0.292
2	1557	40.00	1.25	0.417
3	1558	40.00	1.30	0.547
4	1559	50.00	0.95	0.395



SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	1564	0.486




SL.NO.	SECTION NO.	A	B	WEIGHT(KG/M)
1	1551	40.00	0.91	0.330
2	1552	40.00	1.25	0.417
3	1553	40.00	1.55	0.547
4	1550	50.00	0.95	0.493




SL.NO.	SECTION NO.	A	B	WEIGHT(KG/M)
1	1561	9	0.91	0.382
2	1562	9	1.10	0.469
3	1563	9	1.45	0.607

OMALCO
ALUMINIUM EXTRUSION


WINDOWS SERIES 18MM




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	1549	0.372




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	1555	0.494



SL. NO	SECTION NO.	A	B	C	WEIGHT(KG/M)
1	1583	10.00	42.00	1.28	0.372




SL.NO.	SECTION NO.	A	B	WEIGHT(KG/M)
1	1565	23.90	0.90	0.500
2	1566	23.25	1.03	0.547
3	1567	23.25	1.50	0.784




SL.NO.	SECTION NO.	A	B	WEIGHT(KG/M)
1	1570	23.95	0.85	0.497
2	1571	23.85	1.05	0.621
3	1572	22.70	1.50	0.909

OMALCO
ALUMINIUM EXTRUSION


WINDOWS SERIES 18MM




SL.NO.	SECTION NO.	A	B	WEIGHT(KG/M)
1	1581	22.75	1.47	0.984




SL.NO.	SECTION NO.	A	B	WEIGHT(KG/M)
1	1582	22.75	1.36	1.038




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	1584	0.820



SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	1585	0.874




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	1591	1.307




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	1593	1.159

OMALCO
ALUMINIUM EXTRUSION


WINDOWS SERIES 18MM




SL.NO.	SECTION NO.	A	B	WEIGHT(KG/M)
1	1575	23.60	1.05	0.759
2	1576	22.70	1.50	1.060



SL.NO.	SECTION NO.	A	B	WEIGHT(KG/M)
1	1579	22.7	1.50	1.248
2	1580	23.60	1.10	0.911




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	2932	1.910




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	2932	0.774

OMALCO
ALUMINIUM EXTRUSION


WINDOWS SERIES 20MM




SL.NO.	SECTION NO.	A	B	WEIGHT(KG/M)
1	2901	24.20	0.91	0.491
2	2911	23.20	1.50	0.700




SL.NO.	SECTION NO.	A	B	WEIGHT(KG/M)
1	2902	24.20	0.83	0.546
2	2912	23.20	1.50	0.740




SL.NO.	SECTION NO.	A	WEIGHT(KG/M)
1	2903	0.98	0.328
2	2913	1.50	0.488




SL.NO.	SECTION NO.	A	WEIGHT(KG/M)
1	2905	0.9	0.382
2	2915	1.5	0.605




SL.NO.	SECTION NO.	A	WEIGHT(KG/M)
1	2904	0.98	0.314
2	2914	1.50	0.484




SL.NO.	SECTION NO.	A	B	WEIGHT(KG/M)
1	2906	24.10	0.85	0.683
2	2916	23.20	1.50	1.100



SL.NO.	SECTION NO.	A	B	WEIGHT(KG/M)
1	2907	21.10	0.87	0.819
2	2917	23.20	1.50	1.250




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	2908	1.207




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	2910	1.394

OMALCO
ALUMINIUM EXTRUSION


WINDOWS SERIES 25MM




SL.NO	SECTION NO.	A	WEIGHT(KG/M)
1	3101	2.00	1.006




SL.NO	SECTION NO.	A	WEIGHT(KG/M)
1	3102	2.00	1.229




SL. NO	SECTION NO.	A	WEIGHT(KG/M)
1	3103	2.00	1.119




SL. NO	SECTION NO.	A	WEIGHT(KG/M)
1	3104	30.75	1.420




SL.NO	SECTION NO.	A	WEIGHT(KG/M)
1	3105	2.00	1.805




SL.NO	SECTION NO.	A	WEIGHT(KG/M)
1	3106	2.00	2.000




SL.NO	SECTION NO.	A	WEIGHT(KG/M)
1	3107	2.00	2.600




SL.NO	SECTION NO.	WEIGHT(KG/M)
1	3110	0.616



SL. NO.	SECTION NO.	A	B	WEIGHT (KG/M)
1	3109	75.00	1.10	0.634
2	3119	50.00	0.95	0.482
3	3120/1	50.00	1.07	0.519
4	3120	50.00	1.20	0.683




SL. NO.	SECTION NO.	A	B	WEIGHT(KG/M)
1	3111	75.00	1.05	0.634
2	3121	50.00	1.00	0.420
3	3122	50.00	1.15	0.500
4	3123	50.00	1.30	0.591




SL.NO	SECTION NO.	WEIGHT(KG/M)
1	3113	0.700

OMALCO
ALUMINIUM EXTRUSION


WINDOWS SERIES 25MM




SL.NO	SECTION NO.	WEIGHT(KG/M)
1	3112	0.622




SL.NO	SECTION NO.	WEIGHT(KG/M)
1	3114	0.985




SL.NO	SECTION NO.	WEIGHT(KG/M)
1	3116	1.094




SL.NO	SECTION NO.	WEIGHT(KG/M)
1	3184	1.487




SL.NO	SECTION NO.	WEIGHT(KG/M)
1	3186	1.691




SL.NO	SECTION NO.	WEIGHT(KG/M)
1	3201	0.619




SL.NO	SECTION NO.	WEIGHT(KG/M)
1	3203	0.660




SL.NO	SECTION NO.	WEIGHT(KG/M)
1	3188	0.758




SL.NO	SECTION NO.	WEIGHT(KG/M)
1	3117	0.520



SL.NO	SECTION NO.	WEIGHT(KG/M)
1	3115	0.550




SL.NO	SECTION NO.	WEIGHT(KG/M)
1	3124	0.440




SL.NO	SECTION NO.	WEIGHT(KG/M)
1	3118	0.580

OMALCO
ALUMINIUM EXTRUSION


WINDOWS SERIES 32MM




SL. NO.	SECTION NO.	WEIGHT(KG/M)
1	3196	1.564




SL. NO.	SECTION NO.	WEIGHT(KG/M)
1	3198	1.369



SL. NO.	SECTION NO.	WEIGHT(KG/M)
1	3194	1.524




SL. NO.	SECTION NO.	WEIGHT(KG/M)
1	3190	1.209




SL. NO.	SECTION NO.	WEIGHT(KG/M)
1	3192	1.452

OMALCO
ALUMINIUM EXTRUSION


WINDOWS SERIES 35MM




SL. NO.	SECTION NO.	WEIGHT(KG/M)
1	3174	1.879




SL. NO.	SECTION NO.	WEIGHT(KG/M)
1	3176	1.624



SL. NO.	SECTION NO.	WEIGHT(KG/M)
1	3178	0.908



SL. NO.	SECTION NO.	WEIGHT(KG/M)
1	3180	0.949




SL. NO.	SECTION NO.	WEIGHT(KG/M)
1	3182	1.058


OMALCO
ALUMINIUM EXTRUSION

MOULDING PATTAM


PATTAM




SL.NO.	SECTION NO.	A	B	C	D	E	WEIGHT(KG/M)
1	3136	65.00	40.00	28.00	1.40	24.50	0.615
2	3138	45.00	24.00	12.00	1.20	26.00	0.446
3	3137	65.00	40.00	28.00	1.00	24.5	0.566



SL. NO.	SECTION NO.	A	B	C	WEIGHT(KG/M)
1	3125	80.00	0.95	25	0.580
2	3131	60.00	1.09	25	0.545
3	5694	80.00	1.02	26	0.619
4	5686	60.00	1.02	24.5	0.500




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	3146	0.338



SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	3144	0.310


OMALCO
ALUMINIUM EXTRUSION

MIDDLE




SL. No.	SECTION NO.	A	B	WEIGHT(KG/M)
1	3128	80.00	1.07	0.612
2	3132	60.00	1.13	0.569
3	3134	125.0	0.98	0.809


TOP- BOTTOM




SL. No.	SECTION NO.	A	B	WEIGHT(KG/M)
1	3129	80.00	0.90	0.577
2	3133	60.00	1.02	0.541




SL.NO.	SECTION NO.	A	B	C	WEIGHT(KG/M)
1	5682	40.00	24.50	1.10	0.584
2	5692	80.00	26.00	0.92	0.603




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	3161	0.584



SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	3140	0.485




SL. No.	SECTION NO.	WEIGHT(KG/M)
1	5684	0.516




SL. No.	SECTION NO.	WEIGHT(KG/M)
1	5696	0.618

OMALCO
ALUMINIUM EXTRUSION


HANDLE




SL. No.	SECTION NO.	A	B	WEIGHT(KG/M)
1	3126	80.00	1.07	0.678
2	3130	60.00	1.13	0.570




SL. NO	SECTION NO.	A	WEIGHT(KG/M)
1	3152	1.00	0.574
2	3153	2.00	1.050




SL. No.	SECTION NO.	WEIGHT(KG/M)
1	5690	0.603




SL. No.	SECTION NO.	WEIGHT(KG/M)
1	3156	0.550




SL. No.	SECTION NO.	WEIGHT(KG/M)
1	3142	0.468




SL.NO	SECTION NO.	WEIGHT(KG/M)
1	3160	0.943




SL. No.	SECTION NO.	WEIGHT(KG/M)
1	5680	0.462



SL.NO	SECTION NO.	WEIGHT(KG/M)
1	3150	0.574




SL.NO	SECTION NO.	WEIGHT(KG/M)
1	3154	0.647




SL.NO	SECTION NO.	WEIGHT(KG/M)
1	3158	1.056

OMALCO
ALUMINIUM EXTRUSION


HANDLE




SI. NO.	SECTION NO.	WEIGHT
1	3172	0.752




SI. NO.	SECTION NO.	WEIGHT
1	3170	0.736




SL. NO	SECTION NO.	WEIGHT(KG/M)
1	3164	0.907



SL. NO	SECTION NO.	WEIGHT(KG/M)
1	3162	0.943




SL.NO	SECTION NO.	WEIGHT(KG/M)
1	3160	0.943




SL.NO	SECTION NO.	WEIGHT(KG/M)
1	3158	1.056

OMALCO
ALUMINIUM EXTRUSION


Pattam




SL.NO	SECTION NO.	WEIGHT(KG/M)
1	4246	3.535




SL.NO	SECTION NO.	WEIGHT(KG/M)
1	4243	1.895




SL.NO	SECTION NO.	WEIGHT(KG/M)
1	4241	1.598




SL.NO	SECTION NO.	WEIGHT(KG/M)
1	4244	3.070




SL.NO	SECTION NO.	WEIGHT(KG/M)
1	4258	1.529




SL.NO	SECTION NO.	WEIGHT(KG/M)
1	4205	1.606




SL.NO	SECTION NO.	WEIGHT(KG/M)
1	4245	2.587



SL.NO	SECTION NO.	WEIGHT(KG/M)
1	4222	0.991



SL.NO	SECTION NO.	WEIGHT(KG/M)
1	4218	0.802




SL.NO	SECTION NO.	WEIGHT(KG/M)
1	4231	0.802

Pattam

OMALCO
ALUMINIUM EXTRUSION


EURO SLIDING SERIES-22MM




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	2810	0.569




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	2882	0.560




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	2818	0.615




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	2859	0.274




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	2814	1.377




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	2816	0.835




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	2880	1.141



SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	2812	0.278




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	2884	0.253




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	2820	0.116

OMALCO
ALUMINIUM EXTRUSION


EURO SLIDING SERIES-27MM




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	2801	0.758




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	2822	0.822




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	2803	0.775




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	3812	0.724




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	2808	0.747




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	3045	0.733




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	2805	1.579




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	2807	0.765




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	2821	0.656



SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	3041	0.905




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	2824	0.748




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	2825	0.885

OMALCO
ALUMINIUM EXTRUSION


EURO SLIDING SERIES-27MM




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	2809	1.413




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	2778	0.800




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	2826	1.539




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	3813	1.230




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	2800	1.271




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	2780	1.347




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	2786	0.727




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	2827	1.379




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	2788	1.192



SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	2794	0.759




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	3670	0.338




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	4554	0.291

OMALCO
ALUMINIUM EXTRUSION


EURO SLIDING SERIES-27MM




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	3037	0.739




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	2776	0.836




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	2779	1.128




SECTION NO.	WEIGHT(KG/M)
3809	0.654




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	3036	0.809




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	3671	0.714




SECTION NO.	WEIGHT(KG/M)
3810	1.312




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	2777	0.644




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	3048	1.036



SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	3050	1.008




SECTION NO.	WEIGHT(KG/M)
2820	0.116




SECTION NO.	WEIGHT(KG/M)
2806	0.087

OMALCO
ALUMINIUM EXTRUSION


EURO SLIDDING SERIES-27MM




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	2784	0.763




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1.	3049	0.571




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	2804	0.694




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	3669	0.620




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	2802	0.327



SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	3044	0.233




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	2823	0.428




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	4554	0.291

OMALCO
ALUMINIUM EXTRUSION


EURO SLIDING SERIES-27MM




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	3040	1.366




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	3042	1.588




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	2897	1.415




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	3047	1.090




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	2709	1.269




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	1098	0.798



SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	3043	0.149



SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	2899	0.090




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	1099	0.789


OMALCO

ALUMINIUM EXTRUSION


EURO SLIDING SERIES-29MM




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	2711	0.925




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	2712	0.903




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	3011	0.818




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	2935	0.952




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	3009	0.575




SECTION NO.	WEIGHT(KG/M)
2820	0.116




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	2934	0.965




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	3019	0.478




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	2806	0.087



SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	3872	0.890




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	2739	0.451




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	2710	0.358

OMALCO
ALUMINIUM EXTRUSION


EURO SLIDING SERIES-29MM




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	3027	1.938




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	3871	2.090




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	2715	1.314




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	2714	0.157




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	2716	1.946



SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	3015	1.901




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	3016	1.244




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	3018	0.180

OMALCO
ALUMINIUM EXTRUSION


EURO SLIDING SERIES-29MM




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	3012	1.112




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	3013	1.215




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	3873	0.280




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	3874	0.054




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	2701	0.650



SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	3678	0.609




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	*2717*	*0.553*




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	3017	0.445

OMALCO
ALUMINIUM EXTRUSION


EURO SLIDING SERIES-29MM




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	3014	0.300



SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	3672	0.264




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	2697	0.284




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	3673	0.395

OMALCO
ALUMINIUM EXTRUSION


EURO SLIDING SERIES-35MM




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	2836	1.114




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	2837	1.104




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	2770	1.078




SECTION NO.	WEIGHT(KG/M)
2820	0.116




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	3658	1.128




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	3650	1.082




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	2771	1.197



SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	2871	0.940




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	2831	0.578




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	2838	0.357

OMALCO
ALUMINIUM EXTRUSION


EURO SLIDING SERIES-35MM




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	3676	2.107




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	3033	2.185




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	2787	2.257




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	2758	1.472




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	2835	2.605




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	3680	0.567




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	3681	0.633




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	3031	0.670




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	3032	1.259



SECTION NO.	WEIGHT(KG/M)
3808	0.355




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	3679	0.649




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	2839	0.267

OMALCO
ALUMINIUM EXTRUSION


OMALCO SLIDING SERIES-35MM




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	2872	1.065




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	2876	1.194



SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	2870	1.260



SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	2878	1.064




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	2874	1.109


OMALCO

ALUMINIUM EXTRUSION


EURO SLIDING HEAVY DUTY-35MM




SECTION NO.	WEIGHT(KG/M)
3801	1.100




SECTION NO.	WEIGHT(KG/M)
3802	0.996




SECTION NO.	WEIGHT(KG/M)
3819	1.027




SECTION NO.	WEIGHT(KG/M)
3804	0.806




SI NO	SECTION NO.	WEIGHT(KG/M)
1	3805	2.202




SI NO	SECTION NO.	WEIGHT(KG/M)
1	3806	1.655




SI NO	SECTION NO.	WEIGHT(KG/M)
1	3817	1.595




SI NO	SECTION NO.	WEIGHT(KG/M)
1	3818	0.409



SECTION NO.	WEIGHT(KG/M)
3814	0.221



SECTION NO.	WEIGHT(KG/M)
3803	0.390




SI NO	SECTION NO.	WEIGHT(KG/M)
1	3815	1.410


OMALCO

ALUMINIUM EXTRUSION


EURO SLIDING SERIES-35MM




SECTION NO.	WEIGHT(KG/M)
3807	0.273



SECTION NO.	WEIGHT(KG/M)
2820	0.116




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	3010	0.179




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	3816	0.110

OMALCO
ALUMINIUM EXTRUSION


EURO SLIDING SERIES-37MM




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	2832	1.360




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	3005	1.375




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	3038	1.321




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	3007	1.492




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	2833	1.314




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	2828	1.310




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	3675	0.432




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	2820	0.116



SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	3006	1.412




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	3674	1.345




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	2834	0.656

OMALCO
ALUMINIUM EXTRUSION


EURO SLIDING SERIES-37MM




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	2789	1.832




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	2791	2.889




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	2790	2.663




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	2703	0.654




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	2829	1.780




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	2830	2.690




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	2769	2.387




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	3008	0.606



SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	2785	0.153




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	3010	0.179




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	2702	0.601

OMALCO
ALUMINIUM EXTRUSION


CASEMENT WINDOWS PROFILE -30MM




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	2743	0.604




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	2741	0.592




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	2742	0.663




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	2740	0.451




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	2752	0.911



SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	2756	1.083




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	2754	0.993




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	2746	1.335

OMALCO
ALUMINIUM EXTRUSION


CASEMENT WINDOWS PROFILE -30MM




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	2750	0.993



SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	2745	0.155




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	2748	0.853




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	2744	0.128

OMALCO
ALUMINIUM EXTRUSION


CASEMENT WINDOWS PROFILE -40MM




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	2850	0.731
2	2866	0.923




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	2851	0.650
2	2868	0.840




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	3022	0.686




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	2892	0.800




SL.NO	SECTION NO.	A	WEIGHT(KG/M)
1	2854	1.60	0.547
2	2855	2.00	0.767



SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	2853	0.728




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	2852	0.650
2	2867	0.840




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	3025	0.658

OMALCO
ALUMINIUM EXTRUSION


CASEMENT WINDOWS PROFILE -40MM




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	2848	0.839




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	2858	1.085




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	3021	0.927




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	3024	0.782




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	3851	1.484




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	2889	0.696




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	2890	0.808




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	2865	0.693




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	2857	0.407



SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	2856	0.209




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	3020	0.188




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	3023	0.272

OMALCO
ALUMINIUM EXTRUSION


CASEMENT WINDOWS PROFILE -40MM




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	2869	0.606



SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	2707	0.800




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	2708	0.457




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	2849	0.162

OMALCO
ALUMINIUM EXTRUSION


CASEMENT WINDOWS PROFILE -50MM




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	2795	1.063




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	2798	1.269




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	2860	0.928




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	2885	0.725




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	2799	1.765



SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	2861	1.120




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	2886	0.991




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	2893	0.796

OMALCO
ALUMINIUM EXTRUSION


CASEMENT WINDOWS PROFILE -50MM




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	2793	0.704




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	2862	0.902




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	2864	1.165




SECTION NO.	WEIGHT(KG/M)
2797	0.282




SECTION NO.	WEIGHT(KG/M)
2796	0.302




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	3562	0.552




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	2894	1.425



SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	2896	1.308




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	3645	1.580




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	2887	0.588

OMALCO
ALUMINIUM EXTRUSION


CASEMENT WINDOWS -50MM




SECTION NO.	WEIGHT(KG/M)
2863	0.328




SECTION NO.	WEIGHT(KG/M)
2792	0.222



SECTION NO.	WEIGHT(KG/M)
2895	0.208




SECTION NO.	WEIGHT(KG/M)
3046	0.190




SECTION NO.	WEIGHT(KG/M)
2888	0.280

OMALCO
ALUMINIUM EXTRUSION


CASEMENT SLIDING FOLDING PROFILE -50MM




SECTION NO.	WEIGHT(KG/M)
3554	1.448




SECTION NO.	WEIGHT(KG/M)
3555	2.644




SECTION NO.	WEIGHT(KG/M)
3559	1.308




SECTION NO.	WEIGHT(KG/M)
3557	1.118




SECTION NO.	WEIGHT(KG/M)
3558	0.660




SECTION NO.	WEIGHT(KG/M)
3560	0.883




SECTION NO.	WEIGHT(KG/M)
3553	0.563



SECTION NO.	WEIGHT(KG/M)
3552	0.907




SECTION NO.	WEIGHT(KG/M)
3551	1.024




SECTION NO.	WEIGHT(KG/M)
2863	0.328

OMALCO
ALUMINIUM EXTRUSION


CASEMENT WINDOWS PROFILE -52MM




SECTION NO.	WEIGHT(KG/M)
2840	0.941




SECTION NO.	WEIGHT(KG/M)
2842	0.940




SECTION NO.	WEIGHT(KG/M)
2844	0.882




SECTION NO.	WEIGHT(KG/M)
2845	1.289




SECTION NO.	WEIGHT(KG/M)
2879	1.294




SECTION NO.	WEIGHT(KG/M)
3026	0.970



SECTION NO.	WEIGHT(KG/M)
2843	0.471




SECTION NO.	WEIGHT(KG/M)
2847	0.328




SECTION NO.	WEIGHT(KG/M)
2846	0.350

OMALCO
ALUMINIUM EXTRUSION


Casement window Profile-34MM




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	4226	0.408




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	4227	0.851




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	4101	0.437



SL.NO.	SECTION NO.	A	WEIGHT(KG/M)
1	4102	0.90	0.370
2	4105	1.20	0.430




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	4103	0.723




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	4104	0.175

OMALCO
ALUMINIUM EXTRUSION


Casement window Profile-40MM




SL.NO.	SECTION NO.	A	WEIGHT(KG/M)
1	4208	1.4	0.565
2	4209	2.0	0.856




SL.NO.	SECTION NO.	A	WEIGHT(KG/M)
1	**4210**	**1.9**	**0.595**
2	**4211**	**2.2**	**0.670**




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	4212	0.816




SL. NO.	SECTION NO.	WEIGHT(KG/M)
1	4240	0.943




SL.NO.	SECTION NO.	A	WEIGHT(KG/M)
1	4216	1.9	0.790
2	4217	2.1	0.852




SL.NO	SECTION NO.	WEIGHT(KG/M)
1	**4201**	**1.538**



SL.NO	SECTION NO.	WEIGHT(KG/M)
1	**4204**	**1.106**




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	**4214**	**1.00**




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	4242	0.191

OMALCO
ALUMINIUM EXTRUSION


Casement window Profile




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	4302	0.575




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	4300	0.622




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	4305	0.492




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	4307	0.729




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	4309	0.108



SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	4400	1.050




SL.NO	SECTION NO.	WEIGHT(KG/M)
1	4401	1.050




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	4409	0.255

OMALCO
ALUMINIUM EXTRUSION


Casement window Profile




SL.NO.	SECTION NO.	A	WEIGHT(KG/M)
1	4500	1.80	0.855
2	4534	1.10	0.545




SL.NO.	SECTION NO.	A	WEIGHT(KG/M)
1	4501	3.00	1.011
2	4530	1.40	0.466




SL. NO.	SECTION NO.	A	WEIGHT(KG/M)
1	4502	3.00	1.237
2	4532	1.20	0.603




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	4522	0.673




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	4526	0.765




SL. NO.	SECTION NO.	A	WEIGHT(KG/M)
1	4503	1.80	0.367
2	4536	1.00	0.205



SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	4520	0.250




SL. NO.	SECTION NO.	WEIGHT(KG/M)
1	4524	0.750




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	4510	0.195

OMALCO
ALUMINIUM EXTRUSION


Casement window Profile



SL.NO	SECTION NO.	WEIGHT(KG/M)
1	4403	0.549




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	4407	0.534




SL.NO	SECTION NO.	WEIGHT(KG/M)
1	4405	0.463

OMALCO
ALUMINIUM EXTRUSION


Casement window Profile




SL.NO.	SECTION NO.	A	WEIGHT(KG/M)
1	3401	1.2	0.942
2	3402	1.0	0.850




SL.NO	SECTION NO.	WEIGHT(KG/M)
1	3425	0.177




SL.NO	SECTION NO.	WEIGHT(KG/M)
1	3414	4.067




SL.NO.	SECTION NO.	A	WEIGHT(KG/M
1	3403	1.3	0.985
2	3404	1.7	1.350




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	3406	1.256




SL.NO	SECTION NO.	WEIGHT(KG/M)
1	3405	0.731




SL.NO	SECTION NO.	WEIGHT(KG/M)
1	3409	0.490




SL.NO	SECTION NO.	WEIGHT(KG/M)
1	3407	0.288



SL.NO	SECTION NO.	WEIGHT(KG/M)
1	3411	1.490




SL.NO	SECTION NO.	WEIGHT(KG/M)
1	3413	2.160




SL.NO	SECTION NO.	WEIGHT(KG/M)
1	3412	2.834

OMALCO
ALUMINIUM EXTRUSION


Casement window Profile




SL.NO	SECTION NO.	WEIGHT(KG/M)
1	3415	1.210




SL.NO	SECTION NO.	WEIGHT(KG/M)
1	3419	1.159




SL.NO	SECTION NO.	WEIGHT(KG/M)
1	3422	0.747




SL.NO	SECTION NO.	WEIGHT(KG/M)
1	3421	0.206




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	3423	0.911




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	3420	1.575




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	4548	2.068




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	4544	2.220




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	4546	2.068



SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	4538	0.305




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	4540	0.231




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	4542	0.320

OMALCO
ALUMINIUM EXTRUSION


Casement window Profile



SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	4550	1.156




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	4552	0.830




SL.NO	SECTION NO.	WEIGHT(KG/M)
1	3417	0.173

OMALCO
ALUMINIUM EXTRUSION


WARDROBE PROFILE




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	2446	0.359




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	9103	0.340




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	9127	0.430




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	5815	0.593




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	2458	0.466




SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	5819	0.465



SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	5821	0.318



SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	2460	0.323



SL.NO.	SECTION NO.	WEIGHT(KG/M)
1	5823	0.085